



MADE TO ENSURE YOUR SAFETY




PRODUCT CATALOGUE 2022



www.cigsafety.com







Our purpose is to try and ensure that every worker goes home at the end of each working day.

Uninjured. Alive

We exist to protect the health and save lives.



Contents:

THE COMPANY

About Us	14
Berkat Safety Facts	15
Commercial Presence	16

THE PRODUCT

A. EYE AND FACE PROTECTION

Safety Studies

SAFETY GLASS

Javelin	24
Barramundi	25
Blackfish	25
Grayling	26
Hamlet	26
Mahi Mahi	27
Angler	27
Platu	28
New Ramses	28
Barracuda	29
Cobia	29
Danio	30
Titlis	30
Piranha	31
Nile	31
Betta	32

SAFETY GOGGLE

Arapaima	32
Cisco	33
Wallago	33
Tilapia	34
Zander	34
Eucla	35

ACCESSORIES 35

B. HEAD PROTECTION

Safety Studies	38
----------------	----

HELMET

Magnum	40
Victor	41
Bump Camp Helmet	41

WELDING PROTECTION

Hellix	42
Yukon	42

VISOR AND HEAD GEAR

Falcon	43
Titan	43
Sun Brims	44
Safety Caps	44
Visor	45

ACCESSORIES 45

C. HEARING PROTECTION

Safety Studies	48
----------------	----

EARMUFF

Sonus Earmuff	50
---------------	----

DISPOSABLE EARPLUG

Cylindrical Yellow Earplugs	51
Roll Down PU Earplugs	52
Pre Moulded Earplugs	52

D. RESPIRATORY PROTECTION

Safety Studies	56
----------------	----

DISPOSABLE RESPIRATORY

CIG 801F N95	60
CIG 801 N95	61
CIG 815W N95	61
CIG C1501 P1	62
CIG C3501 P2	62
CIG C4001 P1	63
CIG C4501 P2	63
CIG V-410-SLV P1	64

DISPOSABLE MASK

CIG Surgical Mask 3 PLY	64
CIG 8001 Non Toxic	65
CIG Mini Dust Mask	65

REUSABLE RESPIRATORY

CIG SK - 6E	66
CIG SK - 20E	66
CIG SK - 10	66
CIG SK - 20	66

CARTRIDGE

Single Filter Mask Application	67
Twin Filter Mask Application	67

E. HAND PROTECTION

MULTI PURPOSE GLOVE

Non Slip Mechanic	70
Tough Fit Mechanic	70
Red Cotton Gloves	71
LGC Latex Coated Glove	71
Super Flex	72
Flex Grip	72
CIG KONG Original	73
CIG KONG Pro	74

CHEMICAL GLOVE

Nitrile Glove	75
Petro Grad	75
PVC Gauntlet	76
Extended PVC Glove	76
Nitrile Driver Glove	77

WELDING GLOVE

Big Red	77
Tuff Hide	78
Kevlar Blue	79
Green Gold	79
Crusader Flex	80
Kevlar Aluminized	80
Kevlar Cut Gold	81
Kevlar Cut Dot	81
Leather Palm Glove	82
Grand Prix Glove	82
Premium Driver Glove	83

ACCESSORIES	83
-------------	----

F. PROTECTIVE APPARELS

PROTECTIVE APPAREL

CIG Magna	86
B12 Aluminized suit	87
B20 Aluminized suit	87
Arc Flash Electrical suit	87

WELDING PROTECTIVE APPAREL

Welding Jacket	88
Leather Apron	88
Leather Spats	88
Leather Sleeves	88
Leather Hood	88

RAINSUIT

CIG2000 Rainsuit PVC coating	89
CIG2001 Rainsuit PVC coating with Reflective	89
CIGIJ16 Rainsuit Polyester / PU Coating	89

RAINCOAT

CIG3500 PVC / Polyester Raincoat	90
CIG1U03 PVC / Polyester Raincoat	90

WORK VEST

CIGIT01 Work Vest	91
CIGIT02 Work Vest	91
CIGIT03 Work Vest	91
CIGIT20 Work Vest	91
CIGIW01 Work Vest	92
CIGIT13 Work Vest	92
CIGIT18 Work Vest	92
CIGIT19 Work Vest	92
CIGIT07 Work Vest	93
CIGIT08 Work Vest	93

CHEMICAL PROTECTIVE APPAREL

CIG Apron PVC	93
---------------	----

G. FALL PROTECTION

FULL BODY HARNESS

CIG19458 Full Body Harness	96
CIG19451 Full Body Harness	97
CIG19452 Full Body Harness	97
CIG19453S Full Body Harness	97
CIGKM23 Full Body Harness	98
CIGKM41 Full Body Harness	98
CIGKM42 Full Body Harness	98
CIGKM94 Stretch Full Body Harness	98
CIG PN 56 Stretch Full Body Harness	99

ROPE LANYARD

CIG19611 Rope Lanyard	100
CIG19612 Rope Lanyard	100
CIG19614 Lanyard with Steel Carabiner	100
CIG19620 Rope Lanyard	100
CIG207 Twisted Rope Lanyard	101
CIG208 Twisted Rope Lanyard	101
CIG209 Twisted Rope Lanyard	101
Polyamide Anchorage Line	101

SHOCK ABSORBING LANYARD

CIG19646 Lanyard Single Tails	102
CIG19646 - 1 Lanyard Twin Tails	102
CIG19650 Lanyard Single Tails	102
CIG19650 - 1 Lanyard Twin Tails	102
CIG19653 Kernmantle Type Shock Absorbing Lanyard	103
CIG19654 Webbing Stretch Type Shock Absorbing Lanyard	103
CIG19647KL Webbing Stretch Type Shock Absorbing Lanyard	103

CIGKM308 Energy Absorbing Twisted Rope Lanyard	104
CIGKM309 Energy Absorbing Twisted Rope Lanyard	104
CIGKM351 Forked Lanyard	104
CIGKM361 Forked Lanyard	104

TRIPOD

Tripod Lift	105
-------------	-----

H. SAFETY SHOWER

EYEWASH FOUNTAIN

Wall Mounted CIG15011000 & CIG15011500	108
Pedestal Mounted CIG15014000	108

SAFETY SHOWER

Shower Combination CIG15031500	109
Shower Combination CIG15031000	109
Shower Combination CIG15032500	110
Shower Combination CIG15032000	110
Shower Combination CIG15021500	111
Shower Combination CIG15036000	111

I. MISCELLANEOUS EQUIPMENT

MISCELLANEOUS EQUIPMENT

Life Jacket Dolphin	114
Cone	114
Barricade Tape	115
Flagging Tape	115
Loto Tag	116
Foldaway Stretcher	116
Scoop Stretcher	117
Basket Stretcher	117
Windsock CIG	118
Fire Blanket	118

The background features abstract geometric shapes. A large grey shape with a diagonal cutout is positioned on the left and top. An orange shape is on the right, partially overlapping the grey one. The text 'THE COMPANY' is centered at the bottom in a bold, orange, sans-serif font.

THE COMPANY

www.cigsafety.com



ABOUT US

Berkat Safety is a leading safety equipment supplier in Indonesia focusing on providing high performance and innovative PPE products & services.

For over 50 years, we have been providing safety solutions to a multitude of industries spanning from oil and gas, mining, construction, firefighter, automotive, utilities, electric, chemical, machinery and equipment, military, and other general & heavy-duty industries & services.

Berkat Safety provides a comprehensive range of safety & PPE products. From heavy-duty & welding helmets, ultra-lightweight polycarbonate safety glasses, respiratory protection, Kevlar & chemical gloves, heavy-duty & protective workwear, aramid firefighter suit, safety vest, rescue winch, emergency shower, to eyewash fountain, and other safety & PPE accessories.



We help industries to protect their people from the risk they are exposed to, give confidence and peace of mind that they are well protected while performing their works.

Creativity & innovation have been the consistent hallmarks of our company. We unceasingly take product development to new levels in order to provide exceptional protection for those who risk their lives every day.

Products are specially designed from the inside out, not only to ensure the safety of the user but also comfortable to wear, user-friendly, yet appealing to style-conscious people.


Berkat Safety is partnering with safety solution industry leaders from all over the world to ensure that our customers only receive the best quality products available in the market.

As a customer-focused organization, Berkat Safety embraces the digital era. We invest heavily in ERP systems to ensure that all products are processed and delivered to our customers on time.

At Berkat Safety, we do whatever it takes to live by our commitment to delivering top-notch safety products and services for our clients.



COMMERCIAL PRESENCE



Jakarta

PT Berkat Niaga Dunia
Jl. Cideng Barat No. 47 D Jakarta
Pusat – 10150.

☎ 021 6327060, 6327065
📠 021 63851240, 63851241
@ info@bndsafety.net

Surabaya

PT Berkat Keselamatan Dunia
Jl. Raya Ngagel No. 179 - 183 Ngagel,
Wonokromo, Kota Surabaya Jawa
Timur 60246.

☎ 031 5022526, 5025527, 5015919
📠 031 5022521
@ bkdsby@berkatsafety.co.id

Balikpapan

PT Berkat Tiga Putri
Jl. MT. Haryono No. 198 RT 96.

☎ 0542 739264 Ext.198
📠 0542 739266
@ b3p-bpn@berkatsafety.co.id

Cikarang

Jl. Simprug Raya Blok B1 No. 27
Ruko Simprug Plaza.

☎ 021 89326384
@ berkat_ckrg@berkatsafety.co.id

Palembang


Sub Branch / Warehouse
Jl. Angkatan 66 No. 436 C
RT 06/02.

☎ 0711 8244944
@ berkat_plbg@berkatsafety.co.id

Medan

Sub Branch / Warehouse
Ruko Sunggal Center Blok A No. 9
Jl. Sunggal Medan, Kec. Sunggal
Medan.

☎ 0614 2085617
@ berkat_mdn@berkatsafety.co.id



● Sangatta

Sub Branch / Warehouse

Yos Sudarso II Komplek
Sangata Town Center Blok A
No. 2 Sangata Kutai Timur.

☎ 0549 23114 | 0549 22973
@ berkat_sgt@berkatsafety.co.id

● Maluk

Sub Branch / Warehouse

Jl. Raya Maluk No. 145 Kec. Maluk
Kabupaten Sumbawa Barat.

☎ 0372 6349302
@ berkat_maluk@berkatsafety.co.id

● Bontang

Sub Branch / Warehouse

Jl. Bhayangkara RT 12 No. 4 A
Ruko BTC Bontang (Depan Polres).


☎ 0811 559780
@ berkat_btg@berkatsafety.co.id

The background features abstract geometric shapes. A large grey shape with a diagonal cutout is positioned on the left and top. An orange shape is on the right, partially overlapping the grey one. The text 'THE PRODUCT' is centered at the bottom in a bold, orange, sans-serif font.

THE PRODUCT

www.cigsafety.com



A large, bold, black letter 'A' is centered on the page. The background features a light gray field with a large, white, stylized 'A' shape that overlaps a mustard yellow area in the top right corner.

A

EYE & FACE PROTECTION


EYE AND FACE PROTECTION

Light can bounce and reflect off a myriad of surface, such as water, snow and the road. When normal rays of light bounce off any reflective surface, they become disorganised and produce glare. The glare produced by the sun's rays can reduce your colour and depth perception and cause strain to the eye.

A REMINDER ABOUT OPTICS

Wavelengths

Wavelengths are the basis of how we perceive the world. Two organs receive these wavelengths : the eyes receive light and the ears receive sound.



RADIATIONS	ORGANS AFFECTED	LESIONS	EFFECTS ON SIGHT
<ul style="list-style-type: none"> • UVC 100 to 280 nm. • UVB 280 to 315 nm. • UVA 315 to 380 nm. • Blue/violet light. • approximately 380 to 490 nm. • Visible light 380 to 780 nm. • Near IR 780 to 1400 nm. • Mid IR 1400 to 2000 nm. 	<ul style="list-style-type: none"> • Cornea. • Cornea and crystalline lens. • Cornea and crystalline lens. • Retina. • Retina. • Crystalline lens and retina. • Crystalline lens. 	<ul style="list-style-type: none"> • Corneal lesions. • Premature ageing of the crystalline lens. • Degeneration of retina photoreceptors. • Photoreceptor trauma due to intense dazzling light. • Macular degeneration. • Crystalline lens opacification. 	<ul style="list-style-type: none"> • Conjunctivitis - partial blindness. • Cataracts - conjunctivitis - partial blindness. • Cataracts - conjunctivitis - partial blindness. • Partial or total blindness. • Sight complaints - imbalanced perception. • Retinitis pigmentosa - cataracts - blindness. • Cataracts - partial blindness.

Welding is rated as the #1 cause for eye injuries.

More than three times more injuries occur in welding, when compared with the construction industry.

UV light has the potential of causing "Welder Flash" or "arc eye" with welding torches being a common source. The flash burns welders may experience are essentially like sunburn in the eye. For this very reason, welder's filter lens must meet the test for transmission of radiant energy. Goggles or other suitable eye protection should be worn during all gas welding and oxygen cutting operations.

Safety filter shade lenses protect against ultraviolet and infrared radiation that is generated when working with molten metal and in welding, cutting, soldering, and brazing operations. Since welding generate some bright light, we know light transmission is an important topic.

JAVELIN

Compliance
ANSI Z87.1

Safety Glass

NOSEPAD:

Nosepad made of soft material for extra comfort and avoid slippage.



FRAME:

Sturdy Polycarbonate frame with pantoscopic adjustment.



SOFT TEMPLE:

Soft temple rubber to fit different head profile.



LENS:

Also available in Anti Fog Lens.



PART NUMBER	CIGJ67G	CIGJ671G	CIGJ672G
▶ FRAME COLOR	Grey Frame.	Grey Frame.	Grey Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Soft rubber nose pad, adjustable, anti fog, soft temple rubber, modern and stylish design. suit most face, soft temple rubber fit different head profile.		

BARRAMUNDI

Compliance
ANSI Z87.1

Safety Glass



PART NUMBER	CIGSS91144	CIGSS91145	CIGSS91146
▶ FRAME COLOR	Black Orange Tip Frame.	Black Orange Tip Frame.	Black Orange Tip Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	I/O Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Suit most face, contemporary, sleek and contour design, ultra violet (UV) protection, nose pad.		

BLACKFISH

Compliance
ANSI Z87.1

Safety Glass



PART NUMBER	CIGA11381	CIGA11382	CIGA11383
▶ FRAME COLOR	Black Frame.	Black Frame.	Black Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	I/O Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	PU nose pad, adjustable, ultra violet (UV) protection, hard coating for scratch resistance, stylish protective eyewear combining fashion and function, suit most face, excellent field of vision.		

GRAYLING

Compliance
ANSI Z87.1

Safety Glass



CIG731



CIG732



CIG733



PART NUMBER	CIG731	CIG732	CIG733
▶ FRAME COLOR	Burgundy Frame.	Burgundy Frame.	Burgundy Frame.
▶ LENS COLOR	Clear Frame.	Smoke Lens.	Clear Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Ultra violet (UV) protection, light-weight, suit most face, sporty stylish design, hard coating for scratch resistance, available anti fog, adjust sliding nose pad.		

HAMLET

Compliance
ANSI Z87.1

Safety Glass



CIG831C



CIG832S



CIG835C



PART NUMBER	CIG831C	CIG832S	CIG835C
▶ FRAME COLOR	Clear Frame.	Smoke Frame.	Clear Frame.
▶ LENS COLOR	Clear Lens.	Smoke Lens.	Silver Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Suit most face, light-weight, ultra violet (UV) protection, universal nose pad, anti scratch and hard coating.		

MAHI MAHI

Compliance
ANSI Z87.1

Safety Glass



CIGA11731



CIGA11732



CIGA11733



PART NUMBER	CIGA11731	CIGA11732	CIGA11733
▶ FRAME COLOR	Clear Frame.	Grey Frame.	Clear Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	I/O Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Ultra violet (UV) protection, extremely light-weight, hard coating for scratch, one piece wrap around design with outstanding field of vision.		

ANGLER

Compliance
ANSI Z87.1

Safety Glass



CIG881C



CIG882S



CIG885C



PART NUMBER	CIG881C	CIG882S	CIG885C
▶ FRAME COLOR	Clear Frame.	Smoke Frame.	Clear Frame.
▶ LENS COLOR	Clear Lens.	Smoke Lens.	Silver Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	PU nose pad, wrap around, frameless style for exceptional comfort protection, stylish protective eyewear combining fashion and function, suit most face, light-weight, anti scratch resistance, and available in anti fog coating.		

PLATU Compliance ANSI Z87.1

Safety Glass



PART NUMBER	CIGJH1321	CIGJH1322	CIGJH1323
▶ FRAME COLOR	Black Frame.	Black Frame.	Black Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Soft rubber nose pad, adjustable, pantoscopic adjustment allowing lens angle modification, stylish protective eyewear combining fashion and function, suit most face.		

NEW RAMSES Compliance ANSI Z87.1

Safety Glass



PART NUMBER	CIGA12111	CIGA12112	CIGA12113
▶ FRAME COLOR	Clear Grey Tip Frame.	Smoke Grey Tip Frame.	Smoke Grey Tip Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	I/O Lens.
▶ LENS MATERIAL	Polycarbonate	Polycarbonate.	Polycarbonate.
▶ FEATURES	Ultra violet (UV) protection, extremely light-weight, stylish protective eyewear combining fashion and function, suit most face, hard coating for scratch resistance, one piece wrap around design with outstanding field of vision.		

BARRACUDA

Compliance
ANSI Z87.1

Safety Glass



PART NUMBER	CIGTF1651	CIGTF1652	CIGTF1653
▶ FRAME COLOR	Black Orange Frame.	Black Orange Frame.	Black Orange Frame.
▶ LENS COLOR	Clear Lens.	Gray Lens.	I/O Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Sport styling Frame Design, Skull Grip temple for comfortable and secure fit, Wrap-around brow offering exceptional comfort protection and fit, soft universal fit nose pads prevent slippage lightweight design, Ultra Violet (UV) Protection, Hard coating for anti-scratch.		

COBIA

Compliance
ANSI Z87.1

Safety Glass



PART NUMBER	CIG851C	CIG852S	CIG856S
▶ FRAME COLOR	Clear Frame.	Smoke Frame.	Smoke Frame.
▶ LENS COLOR	Clear Lens.	Smoke Lens.	Smoke with Silver Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	PU nose pad, ultra violet (UV) protection, light-weight, single piece lens with side shields, suit most face, scratch resistance.		

DANIO

Compliance
ANSI Z87.1

Safety Glass



CIG871



CIG872



CIG875



PART NUMBER	CIG871	CIG872	CIG875
▶ FRAME COLOR	Black Frame.	Black Frame.	Black Frame.
▶ LENS COLOR	Clear Lens.	Smoke Lens.	Clear With Silver Mirror Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Soft rubber nose pad, ultra violet (UV) protection, light-weight , stylish protective eyewear combining fashion and function, suit most face, sport styling frame design.		

TITLIS

Compliance
ANSI Z87.1

Safety Glass



CIGDGPF1123



CIGDGPF2123



CIGDGPF3123



CIGDGPF4123



CIGDGPF5123



PART NUMBER	CIGDGPF1123	CIGDGPF2123	CIGDGPF3123	CIGDGPF4123	CIGDGPF5123
▶ FRAME COLOR	Black Orange Frame	Black Orange Frame.	Black Orange Frame.	Black Frame.	Black Frame.
▶ LENS COLOR	Clear Lens	Grey Lens.	I/O Lens.	Clear Lens.	Grey Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Suit most face, sporty look, ultra violet (UV) protection, scratch resistance, PC lens nose pad tips.				

PIRANHA

Compliance
ANSI Z87.1

Safety Glass



PART NUMBER	CIGA1026C1BLU	CIGA1026C2BLU	CIGA1026C1B	CIGA1026C2B
▶ FRAME COLOR	Blue Frame.	Blue Frame.	Black Frame.	Black Frame.
▶ LENS COLOR	Clear Lens.	Grey Lens.	Clear Lens.	Grey Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.	Polycarbonate.	Polycarbonate.
▶ FEATURES	Adjustable, ultra violet (UV) protection, light-weight, hard coating for scratch resistance, suit most face, one piece lens design with integrated side shields.			

NILE

Compliance
ANSI Z87.1

Safety Glass




PART NUMBER	CIGPN010	CIGON110
▶ FRAME COLOR	Clear Frame.	Smoke Frame.
▶ LENS COLOR	Clear Lens.	Smoke Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.
▶ FEATURES	Ultra violet (UV) protection, light-weight, economical visitor spectacle fits over most prescription glasses, suit most face.	

BETTA

Compliance
ANSI Z87.1

Safety Glass



PART NUMBER	CIG3001	CIG3002G
▶ FRAME COLOR	Clear Frame.	Smoke Frame.
▶ LENS COLOR	Clear Lens.	Smoke Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.
▶ FEATURES	Ultra violet (UV) protection, light-weight, suit most face, exceptional comfort protection and fit, high impact resistant polycarbonate lens.	

ARAPAIMA

Compliance
ANSI Z87.1

Safety Goggle



PART NUMBER	CIGJH3011AF	CIGJH3012AF
▶ FRAME COLOR	Clear Frame.	Black Frame.
▶ LENS COLOR	Clear Lens.	Clear Lens.
▶ LENS MATERIAL	Polycarbonate.	Polycarbonate.
▶ FEATURES	Small goggle design, light-weight, goggle with ventilation.	

Safety Goggle



PART NUMBER	CIGG491
▶ FRAME COLOR	Clear Frame.
▶ LENS COLOR	Clear Lens.
▶ LENS MATERIAL	Polycarbonate.
▶ FEATURES	Suit most face, ultra violet (UV) protection, chemical splash protection, classic goggle with indirect ventilation for good air circulation adjustable head band.

Safety Goggle



PART NUMBER	CIGG101BLU & CIGG101FBLU
▶ FRAME COLOR	Blue Frame.
▶ LENS COLOR	Anti Fog Lens.
▶ LENS MATERIAL	Polycarbonate.
▶ FEATURES	Extremely light-weight and scratch resistance, ultra violet (UV) protection, chemical splash protection, hard coating for scratch resistance, adjustable head band, anti fog coating prevents fogging, enhancing safety.

TILAPIA

Compliance
ANSI Z87.1

Safety Goggle



PART NUMBER	SG231AF
▶ FRAME COLOR	Green Frame.
▶ LENS COLOR	Clear Lens.
▶ LENS MATERIAL	Polycarbonate.
▶ FEATURES	Economic, comfortable goggle with direct ventilation on both side and top, adjustable strap, Anti dust and impact resistant, Available in Anti Fog Lens

ZANDER

Compliance
ANSI Z87.1

Safety Goggle



PART NUMBER	CIGG2051
▶ FRAME COLOR	Green frame.
▶ LENS COLOR	Clear Lens.
▶ LENS MATERIAL	Polycarbonate.
▶ FEATURES	Lift front style with green PVC frame and black ABS lens frame, universal welding goggle, indirect ventilation ensures good air circulation, light-weight.



PART NUMBER	CIGJH11
▶ FRAME COLOR	Black Frame.
▶ LENS COLOR	Clear Lens.
▶ LENS MATERIAL	Polycarbonate.
▶ FEATURES	Ergonomic and versatile, wrap around EVA foam gives protection on large dust particle, can be used with elastic band.

ACCESSORIES

HARD CASE



CIGDSI

SOFT CASE



CIGBK

NECK CORD



CIGCDI

NEOPRENE STRAP



CIGCD8



CIGCD8

ZOOM CORD



CIGP-3A



CIGP-3A



A large, stylized letter 'B' is the central focus of the page. It is rendered in a bold, black, sans-serif font. The background is a light gray, with a prominent white diagonal line that runs from the top left towards the bottom right. This line is bordered by a thick red area on the right side, creating a dynamic, geometric composition.

B

HEAD PROTECTION

HELMET PROTECTION BUFFER

HEAD PROTECTION

Like all Personal Protection Equipment the correct selection, use and care of Industrial Safety Helmets is an important part of the Occupational Safety and Health Program. An Industrial Safety Helmet is designed to provide protection from falling objects, lateral and vertical impacts and contact with electrical hazards to the upper part of the wearers' head.

Other workplace requirements may need to be considered during the safety helmet selection process.

- The use in conjunction with earmuffs in noisy workplace.
- The use of a ratchet adjustment headband and/or a chin strap will enhance stability.
- The use of a faceshield to protect from flying debris or light chemical splash.
- The use of sun brim to give more protection against heat.

To provide adequate protection to the wearer the helmet should be a comfortable, secure fit.

CARE OF SAFETY HELMET

All Industrial Safety Helmets have been designed to protect the wearer from impact and electrical hazard, therefore, for the helmets to provide ongoing protection the correct care of the helmet is essential.

The design should not be modified or altered by :

- Drilling holes in the shell.
- Painting the shell.
- Reducing the clearance between the shell and the harness by alteration or installing objects inside the helmet.
- Not using the correct harness supplied by the manufacturer.
- Fitting of non-certified accessories to the helmet.

AVOID THE PRACTICES OF :

- Using the helmet for other than its design purpose such as seats, wheel chocks etc.
- Excessive use of chemicals such as repellents, strong cleaning agents etc.
- Wearer alteration e.g.: engraving of names, painting, fitting penholders cigarette lighters etc.
- Not cleaning the helmet of built up dirt, grease etc following use or clean at least weekly.
- Poor storage and unnecessary exposure to the weather and solar radiation - leaving outside when not in use or storage in the back of an open vehicle.
- Holding the cap by its brim and flexing it. This will weaken the brim and cause fatigue in the safety cap. All these have the potential to damage or weaken the helmet and cause unseen deterioration of the shell and its harness.

CLEANING

The helmet should be kept in good condition and cleaned regularly using warm water and a household detergent only. The use of solvents or harsh cleaning agents to clean the helmet is not recommended as these can cause non visible damage and weaken the shell and harness materials.

USEFUL LIFE

At the time of issue to the wearer, the helmet should be marked with the issue date. Field tests have shown that generally, helmet shells have a life of at least 3 years from the time of issue. We recommend that helmets that are used regularly should be replaced or re-tested after three years of use, with the harness being replaced every 18 months.

POINTS TO CONSIDER

The selection process should consider the workplace operational, occupational health and safety requirements to ensure the correct helmet type and appropriate accessories are selected. Ensure the wearer understands the purpose/reason for the need to wear a safety helmet. The wearer is instructed on the fitting and care of the helmet and or accessories. Check before use habits, Periodic inspection and maintenance is carried out to ensure the helmets are in good working condition and defective helmets and components or helmets that have exceeded a reasonable working life are replaced.

- Bump caps are not an alternative to a mandatory Safety helmet.
- Bumps caps are effective against knocks, bumps and scalp lacerations. Bumps caps are ideally suited for some trades activities, domestic security, police, aviation ground staff and transport services.

Looking for an economical hearing protection that are suitable with this helmet, see page... or ask in-store.

MAGNUM

Helmet

ACCESSORY SLOTS:

Accessory slots allow user to attach hearing welding or face shield accessories.



SUSPENSION:

Come with 6 point adjustable suspension, give a comfortable and customized fit.

MATERIAL:

ABS material provides excellent impact resistance protection.



CIG 961

CIG 962

CIG 963

CIG 965

CIG 966

CIG 967

PART NUMBER	CIG 961	CIG 962	CIG 963	CIG 965	CIG 966	CIG 967
▶ COLOR	White.	Yellow.	Blue.	Red.	Green.	Grey.
▶ MATERIAL	ABS.	ABS.	ABS.	ABS.	ABS.	ABS.
▶ FEATURES	6 Point adjustable suspension give a comfortable and customized fit and accessories slot allow user to attach hearing, welding or face shield accessories.					

VICTOR

Helmet



PART NUMBER	CIGHC32B	CIGHC32G	CIGHC32R	CIGHC32Y	CIGHC32W
▶ COLOR	Blue.	Green.	Red.	Yellow.	White.
▶ MATERIAL	ABS.	ABS.	ABS.	ABS.	ABS.
▶ FEATURES	6 Point adjustable suspension give a comfortable and customized fit and accessories slot allow user to attach hearing, welding or face shield accessories.				

BUMP CAP HELMET

Helmet



PART NUMBER	SM903B	SM903G	SM903R	SM903Y	SM903W
▶ COLOR	Blue.	Green.	Red.	Yellow.	White.
▶ MATERIAL	ABS.	ABS.	ABS.	ABS.	ABS.
▶ FEATURES	Bump caps reduce exposure to lacerations and abrasions caused by minor bumps to the head, and protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets.				

HELLIX

Welding Protection



PART NUMBER	CIG2033
▶ COLOR	Black.
▶ MATERIAL	Polycarbonate.
▶ FEATURES	Welding helmet flip front type light-weight, strong, flexible, heat resistant.

YUKON

Welding Protection



PART NUMBER	CIG770
▶ COLOR	Black.
▶ MATERIAL	Polycarbonate.
▶ FEATURES	Flip front lens welding helmet measuring 2" x 4 - 1/4, can easily be connected to a helmet. Lenses and helmet are sold separately.

FALCON

Visor and Head Gear



PART NUMBER	CIG6-241
▶ COLOR	Yellow.
▶ MATERIAL	Polycarbonate.
▶ FEATURES	Protection against foreign particle, chemical splash, dust, heat, and impact force.

TITAN

Visor and Head Gear



PART NUMBER	CIGJHG-1Y	CIGJHG-1B
▶ COLOR	Yellow.	Blue.
▶ MATERIAL	100% cotton ball cap with padded insert.	100% cotton ball cap with padded insert.
▶ FEATURES	Face shield complete with Browgard and bullet shape Clear Visor Polycarbonate visor measures 220 x 200 x 170 mm. Provides protection against foreign particles, chemical splash, dust and heat.	

SUN BRIMS

Visor and Head Gear



CIG6041



CIG6043



CIG6042



CIG6044



PART NUMBER	CIG6041	CIG6042	CIG6043	CIG6044
▶ COLOR	White.	Blue.	Green.	Orange.
▶ MATERIAL	Denim.	Denim.	Denim.	Denim.
▶ FEATURES	Can be attached around the hat to provide extra 6 inches of shade cover, denim like fabric.			

SAFETY CAPS

Visor and Head Gear



SM 913



PART NUMBER	SM 913
▶ COLOR	Black.
▶ MATERIAL	100% cotton ball cap with padded insert.
▶ FEATURES	Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets.

VISOR

Visor and Head Gear



PART NUMBER	001756 (FV241)
▶ COLOR	Clear.
▶ MATERIAL	Polycarbonate.
▶ FEATURES	Bracket for Falcon.

ACCESSORIES

CHINSTRAP
GREEN



CIGNCSG

CHINSTRAP
BLACK ORANGE



CIGNCSBO



A large, bold, black letter 'C' is centered on the page. The background features a light gray gradient with a dark blue geometric shape in the upper right corner, separated by a white border.

HEARING PROTECTION

HEARING PROTECTION

Hearing loss due to industrial noise is one of the most widespread, yet preventable work place injuries. Continual exposure to noise from machinery, tools, traffic and general workplace activity can cause significant, irreversible hearing loss.

Hearing loss has a dramatic impact on quality of life and may contribute to other safety problems, such as lack of awareness and reduced concentration. Correctly designed and fitted ear protection will keep industrial noise below harmful levels. The choice of the appropriate protection device for each job is also vitally important.

HOW DOES HEARING LOSS OCCUR ?

Permanent loss of hearing is the result of nerve destruction or damage to the hair cells which transfer sound waves within the ear. Once these important parts of the hearing mechanism are damaged or destroyed, they can never be regenerated, resulting in slight to total, permanent hearing loss.

HOW DO I CHOOSE MY HEARING PROTECTION ?

The choice of hearing protection depends on a number of factors including level of noise, comfort, and the suitability of the hearing protection for both the worker and the environment. Most importantly, the hearing protection should provide the desired noise reduction.

It is best, where protection must be used, to provide a choice of a number of different types of hearing protection. Each hearing protection device is given a class rating from 1 to 5 to show the level of noise reduction achieved.

If the noise exposure is intermittent, ear muffs are more desirable, since it may be inconvenient to remove and reinsert earplugs.

EAR MUFFS

Suppress unwanted noise by completely covering the outer ear. Our styles come with a variety of features from adjustable headband to hard hat attachments to suit individual needs.

DISPOSABLE PLUGS

A molded form polyurethane not washable but can fit perfectly in everybody's ear canal. Corded and uncorded options are supplied in handy plastic packaging. Available in dispenser.

WHAT SHOULD I KNOW ABOUT THE FIT OF MY HEARING PROTECTION ?

Follow manufacturers' instructions. With ear plugs, for example, the ear should be pulled outward and upward with the opposite hand to enlarge and straighten the ear canal, and insert the plug with clean hands. Ensure the hearing protector tightly seals within the ear canal or against the side of the head. Hair and clothing should not be in the way.

WHAT ARE THE COMMON PROBLEMS OF HEARING PROTECTION ?

Studies have shown that one-half of the workers wearing hearing protectors receive one-half or less of the noise reduction potential of their protection because these devices are not worn continuously while in noise or because they do not fit properly.



SONUS

Compliance
ANSI S3.19-1974

Earmuff

EP 149

HEAD BAND:
Premium materials
it is comfortable to use.

ADJUSTMENT:
Flexible and
adjustable headband.

EARMUFFS:
Earmuffs provide relief with
Noise Reduction Rating (NRR)
of 21 decibels.

COLOR:
Yellow ear cup
for high visibility.



EP 167

PART NUMBER	EP 149	EP 167
▶ NRR	26 dB.	22 dB.
▶ MATERIAL	ABS.	ABS.
▶ COLOR	Black Yellow.	Black Yellow.
▶ HEADBAND	Yes.	No.
▶ HELMET ATTACHMENT	No.	Yes.
▶ PACKAGING	Carton Box.	Carton Box.
▶ QUANTITY IN BOX	1 Ea.	1 Ea.

CYLINDRICAL YELLOW EARPLUGS

Compliance
ANSI S3.19-1974

Disposable Earplug

These uncorded foam earplugs offer a soft, low-pressure solution for comfortable wear.

- Transparent Hard case & Pillow case keeps earplugs clean before use.
- Regular size fits most earcanals.
- Noise Reduction Rating (NRR) 29 dB.

Recommended Application :

Assembly, Blasting, Cleaning, Demolition, Electrical, Facility Maintenance, Grinding, Machine Operations, Painting, Sanding, Welding.

Recommended Industry :

Automotive, Construction, Food and Beverage Manufacturing, General Manufacturing, Metal Fabrication, Military Maintenance, Repair and Operation (MRO), Mining, Oil & Gas, Pharmaceutical, Transportation.



1001 Pillow Case



1001

PART NUMBER	1001	1001 Pillow Case
▶ NRR	29 dB.	29 dB.
▶ MATERIAL	Foam.	Foam.
▶ COLOR	Yellow.	Yellow.
▶ PACKAGING	Transparent Hard Case.	Paper Pillow Case.
▶ QUANTITY IN 1 BOX	100 pairs.	100 pairs.
▶ QUANTITY IN 1 CASE	10 box.	10 box.

ROLL DOWN PU EARPLUGS

Compliance
ANSI S3.19-1974

Disposable Earplug

Our Roll Down Earplugs are made from expandable polyurethane (PU) foam, which provides great comfort and good protection. The one size fits most ear canals. Once inserted in the ear, the foam plugs expand to provide a snug and secure custom fit. CIG provide a wide range of disposable roll down PU earplugs to choose from and to find the best solution for your individual needs.

1250

Comfortable

- Soft hypoallergenic foam material for lower pressure inside the ear.
- Smooth, dirt resistant surface for better hygiene, durability and comfort.



PART NUMBER	1250	1251
▶ NRR	33 dB.	33 dB.
▶ MATERIAL	Foam.	Foam.
▶ COLOR	Orange.	Orange.
▶ CORDED	No.	Yes.
▶ CORD COLOR	N/A.	Blue.
▶ PACKAGING	Clear Polybag.	Clear Polybag.
▶ QUANTITY IN 1 BOX	200 pairs.	200 pairs.
▶ QUANTITY IN 1 CASE	10 box.	10 box.

CIG 1250 Dispenser Earplugs

1251

Convenient

- Tapered design fits most ear canals making the plugs easier to use.
- One size only.
- Vinyl material helps prevent hearing loss.

Effective

- NRR 33dB.

Compatible with

- Designed to be compatible with other PPE.



PRE MOULDED EARPLUGS

Compliance
ANSI S3.19-1974

Disposable Earplug

Pre Moulded plugs are made from flexible materials that are preformed to fit the ear. They are generally available with a joining cord to prevent loss. These reusable earplugs are comfortable, hygienic, and economical. No sizing is required for these patented, pre-moulded, triple flanged earplugs. Available in a variety of style and protection levels.

4002

Comfortable

- Unique and patented tri-flange design for a perfect fit and comfort.
- Easy to fit in the ear for a continuous and comfortable protection.

Effective

- NRR 25dB.


Compatible with

- Designed to be compatible with all types of PPE.



PART NUMBER	4002
▶ NRR	25 dB.
▶ MATERIAL	Polymer.
▶ COLOR	Blue.
▶ CORDED	Yes.
▶ CORD COLOR	Light Blue.
▶ PACKAGING	Hard Case.
▶ QUANTITY IN 1 BOX	200 pairs.
▶ QUANTITY IN 1 CASE	10 box.



A large, bold, black letter 'D' is centered on the page. The background features a light gray gradient with a prominent white diagonal line that curves from the top left towards the bottom right. A solid green triangular shape is positioned in the top right corner, partially overlapping the white line.

RESPIRATORY PROTECTION

RESPIRATORY PROTECTION

It's clearly recognised that we need clean air to survive and that exposure to toxins could cause irreparable damage to our health, but sometimes respiratory risks are not obvious or the damage to human respiratory systems occurs over a longer period of time, which is why choosing suitable respiratory protection is important for long term worker health.

Respiratory protective devices are classified into two main groups; Air Purifying Respirators (Filtering devices) and Air Supplied Breathing Apparatus.

Where an Immediately Dangerous to Life and Health (IDLH) atmosphere is identified, air purifying respirators/ (Filtering Devices) are not suitable and self-contained and/or air supplied demand breathing apparatus.

Must be used, due to the risk of oxygen displacing gases or other hazards where a filter may not provide appropriate protection from the hazard.

Air Purifying Respirators (APR) filter or purify air when drawn or inhaled through the filter media.

Air Purifying Respirators (Filtering devices) are suitable in :

- Areas where contaminant levels are low and the contaminant is known.
- Suitable filters are available.
- Other engineering controls are not possible.

Air Purifying Respirators (Filtering Devices) are NOT suitable in :

- IDLH areas.
- Low oxygen areas (less than 19%).
- Where contaminants are unknown.
- Where contaminants have poor warning properties (e.g. odourless gases).

Options available are :

- Disposable respirator.
- Half face.

According to NIOSH (US Standard) and EN Standard disposable respirator have different classification. In NIOSH 42 CFR 84 have 2 classification, 1 is working environment and 1 is filter efficiency.

Classification in working Environment :

Not contain oil aerosol : (N or Not Resistant to oil aerosol).

Contain oil aerosol : Resistant to oil aerosol (R) and Proof to oil aerosol (P).

Resistant to oil aerosol mask you can use only stands for 1 shift or 8 working hours.

Proof to oil aerosol mask you can you more than 1 shift or until its break.

Working Environment			
Filtration rating.	N95.	R95.	P95.
	N99.	R99.	P99.
	N100.	R100.	P100.

Particulate Filters are classified as P1, P2 or P3 :

- P1 filters handle mechanically generated particles down to 0.5 microns or 80% efficiency.
- P2 filters handle mechanical thermally generated particles down to 0.2 microns or 94% efficiency.
- P3 filters handle mechanical thermally generated particles down to 0.2 micron or 99.95% efficiency.

For Gas Filter mask :

The life of a gas filters is dependent upon temperature, humidity, concentration of the contaminant, the class of filters and the rate of breathing of the wearer. Filters should be replaced on a regular basis in accordance with an established filter replacement schedule identified in the initial risk assessment. AS/NZS 1716: 2012 recommends discarding your filters when any one of the following conditions exists :


- The filter becomes difficult to breathe through.
- Breakthrough gas occurs; indicated by smell or taste or according to the filters replacement schedule identified during the risk assessment.
- 6 months has passed since sealed filters package has been opened.
- The expiry date on the filters has passed.

In some instances, depending on the type of chemical hazard, filters must be changed out after each shift. if filters are to be re-used they should be stored in a sealed plastic bag or box.

FILTER SELECTION GUIDE

Filter Type	Colours	Main area of application
P	White	Particles : Dusts, mists, fumes, fibres, toxic particles microorganisms (bacteria, fungi, viruses, enzymes).
A	Brown	Organic gases and vapours with boiling point >65°C. eg. Toluene, Xylene, MEK, Benzene, Alcohols.
AX	Brown	Highly volatile organic solvents with boiling point <65°C. e.g. Methanol, 1.3-Butadiene, Acetaldehyde.
B	Grey	Inorganic gases and vapours. eg. Chlorine, hydrogen, sulphide, hydrocyanic acid & formaldehyde.
E	Yellow	Acid gases and vapours. eg. Sulphur dioxide, hydrogen chloride.
K	Green	Ammonia and organic ammonia derivatives.
Hg	Red	Mercury (vapour) and mercury compounds.
CO	Blue	Carbon Monoxide.
NO	Black	Nitrogen Oxides (includes Nitrogen Dioxide & Nitric Oxide).

CIG 801F N95



PART NUMBER	CIG 801F N95
▶ TYPE	N95.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	20 EA.
▶ FEATURES	Light-weight, easy to breath, toxic, dust, and mist.

CIG 801 N95

Disposable Respiratory



PART NUMBER	CIG 801 N95
▶ TYPE	N95.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	20 EA.
▶ FEATURES	Light-weight, for welded, toxic, dust, and mist.

CIG 815W N95

Disposable Respiratory



PART NUMBER	CIG 815W N95
▶ TYPE	N95.
▶ EXHALATION VALVE	Yes.
▶ QUANTITY IN BOX	10 EA.
▶ FEATURES	Mask with valve, light-weight, easy to breath, for welded, toxic, dust, and mist.

CIG C1501 P1

Compliance
EN 149:2001

Disposable Respiratory



PART NUMBER	CIG C1501 P1
▶ TYPE	FFP1.
▶ EXHALATION VALVE	Yes.
▶ QUANTITY IN BOX	10 EA.
▶ FEATURES	Particulate respiratory with exhalation valve, for toxic, dust, mist, fume.

CIG C3501 P2

Compliance
EN 149:2001

Disposable Respiratory



PART NUMBER	CIG C3501 P2
▶ TYPE	FFP2.
▶ EXHALATION VALVE	Yes.
▶ QUANTITY IN BOX	10 EA.
▶ FEATURES	Particulate respiratory with exhalation valve, for toxic, dust, mist, fume.

CIG C4001 P1

Compliance
EN149:2001

Disposable Respiratory



PART NUMBER	CIG C4001 P1
▶ TYPE	FFP1.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	15 EA.
▶ FEATURES	Carbon active available for light nuisance organic vapour and gas.

CIG C4501 P2

Compliance
EN149:2001

Disposable Respiratory



PART NUMBER	CIG C4501 P2
▶ TYPE	FFP2.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	10 EA.
▶ FEATURES	Carbon active available for light nuisance organic vapour and gas. valve for additional comfort.

CIG V-410-SLV P1

Compliance
EN 149:2001

Disposable Respiratory



PART NUMBER	CIG V-410-SLV P1
▶ TYPE	FFP1.
▶ EXHALATION VALVE	Yes.
▶ QUANTITY IN BOX	15 EA.
▶ FEATURES	Folded Respiratory with valve, toxic, dust, and mist, easy to breath.

CIG SURGICAL MASK 3 PLY

Disposable Mask



PART NUMBER	CIG SURGICAL MASK 3 PLY
▶ TYPE	3 ply Disposable Mask.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	50 EA.
▶ FEATURES	Masks for daily protection, light-weight, easy to breath.

CIG 8001 Non Toxic

Disposable Mask



PART NUMBER	CIG 8001
▶ TYPE	Disposable Mask.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	50 EA.
▶ FEATURES	Dust and mist, light-weight, easy to breath.

CIG MINI DUST MASK

Disposable Mask



PART NUMBER	CIG 4555
▶ TYPE	Disposable Mask.
▶ EXHALATION VALVE	No.
▶ QUANTITY IN BOX	1 EA.
▶ FEATURES	Dust and mist, light-weight, easy to breath.

CIG SK-6E

Reusable Respiratory



CIG SK-20E

Reusable Respiratory



CIG SK-10

Reusable Respiratory



CIG SK-20

Reusable Respiratory



PART NUMBER	CIG SK - 6E	CIG SK - 20E	CIG SK - 10	CIG SK - 20
▶ TYPE	Single Filter Mask	Single Filter Mask	Single Filter Mask	Twin Filter Mask
▶ EXHALATION VALVE	Yes.	Yes.	Yes.	Yes.
▶ QUANTITY IN BOX	1 EA.	1 EA.	1 EA.	1 EA.
▶ FEATURES	Soft silicone rubber face piece for comfort. P2 Toxic Dust, Mist and Fume Respirator	Double cushion silicone rubber face piece for comfort. P2 Toxic Dust, Mist and Fume Respirator	Filter Cartridge available for toxic , dust and mist, light - weight,easy to breath.	

SINGLE FILTER APPLICATION

Cartridge



PART NUMBER	CIG 09202	CIG 09505	CIG 09707
▶ QUANTITY IN BOX	1 EA.	1 EA.	1 EA.
▶ COLOUR	Black.	Orange, Black , Green.	Green.
▶ FEATURES	Gases and Vapours.	Gases, Vapours and Amonia.	Toxic, Dust, Mist and Fume.

TWIN FILTER APPLICATION

Cartridge



PART NUMBER	CIG 07301	CIG 07501
▶ QUANTITY IN BOX	2 EA.	2 EA.
▶ COLOUR	White, Black, Green.	White, Black, Green.
▶ FEATURES	Toxic, Dust, Mist and Fume.	Toxic, Dust, Mist and Fume.



A large, bold, black letter 'E' is centered on the page. The background features a light gray gradient with a prominent white diagonal line that curves from the top left towards the bottom right. A solid blue triangular shape is positioned in the top right corner, partially overlapping the white line.

HAND PROTECTION

NON SLIP MECHANIC

Multi Purpose Glove



PART NUMBER	CIG6521RED
▶ LENGTH	11 " (28 cm).
▶ WIDTH	6 " (15cm).
▶ MATERIAL	Synthetic Leather Palm.
▶ COLOR	Red Mix Black.
▶ SIZE	S - XL.
▶ FEATURES	Elastic cuff with velcro for snug fit, black micro fibre palm mechanic glove.

TOUGH FIT MECHANIC

Multi Purpose Glove



PART NUMBER	CIG6501
▶ LENGTH	11 " (28 cm).
▶ WIDTH	6 " (15cm).
▶ MATERIAL	Synthetic Leather Palm.
▶ COLOR	Blue Mix Black.
▶ SIZE	S - XL.
▶ FEATURES	Tough fit mechanic, all purpose application.

RED COTTON GLOVES

Multi Purpose Glove



PART NUMBER	CIG7702
▶ LENGTH	7" (x cm).
▶ WIDTH	5.9"
▶ MATERIAL	Polyester with PVC dot palm.
▶ COLOR	Red.
▶ SIZE	7 - 8.
▶ FEATURES	Gauge Bleached Cotton/Polyester with ribbed cuff. PVC Dotted Palm on one side.

LCG LATEX COATED GLOVE

Multi Purpose Glove



PART NUMBER	CIG6818
▶ LENGTH	10"
▶ WIDTH	4,3"
▶ MATERIAL	Latex Grey with Nylon Liner.
▶ COLOR	Grey.
▶ SIZE	M - XL.
▶ FEATURES	Black raised crickle latex grey nylon liner Available black nylon liner with grip and abrasion resistance.

▶ SUPER FLEX

Multi Purpose Glove



PART NUMBER	CIGN10500
▶ LENGTH	9" (22.86 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	Nylon with PU coating at palm area.
▶ COLOR	White.
▶ SIZE	8 & 9.
▶ FEATURES	Handling wet and slippery materials.

▶ FLEX GRIP

Compliance
EN 374

Multi Purpose Glove



PART NUMBER	16CIG10600
▶ LENGTH	23.5 cm.
▶ WIDTH	11.5 cm.
▶ MATERIAL	Latex.
▶ COLOR	Yellow and Green.
▶ SIZE	9.
▶ FEATURES	Snug fit latex coated glove with knit cotton shell for comfortable protection. Raised crickle texture palm for extra grip and durability EN 388.

KONG® ORIGINAL

MULTI PURPOSE GLOVE



EN 388:2016 4242AP	CE Category 2	ANSI / ISEA CUT A1 ABR 4	ANSI / ISEA 130 2	PEAK IMPACT PROTECTION 3X 150-50 5X 500-100 5X 375-75
-----------------------	------------------	--------------------------------	----------------------	--

KONG® ORIGINAL

The original oil and gas industry glove. Co-developed by the Oil and Gas Industry Safety Committee representing Exxon Mobil, ConocoPhillips, Chevron, Halliburton and many other respected industry leaders.



Co-Developed By OGSC
Co-developed by the Oil & Gas Industry's Safety Committee.



KONG Metacarpal Protection
80% impact absorption.



KONG Patented Finger Protection
76.4% impact absorption offers sidewall and complete fingertip protection.



Exclusive Palm Material
25% more abrasion resistant than normal synthetic leather.



KONG Knuckle Protection
90% impact absorption.

PART NUMBER	KON-000012
▶ LENGTH	11" (28cm).
▶ WIDTH	6" (15cm).
▶ MATERIAL	High level cut material.
▶ COLOR	Orange mix yellow.
▶ SIZE	M, L, XL.
▶ FEATURES	Exclusive palm material, 80% impact absorption.

CIG KONG® PRO

MULTI PURPOSE GLOVE



EN 388:2016 4X44FP	CE Category 2	ANSI / ISEA CUT A6 ABR 5	ANSI / ISEA 100 2	PEAK IMPACT PROTECTION 3X 190.00 5X 500.100 5X 375.75
-----------------------	------------------	--------------------------------	----------------------	--

KONG® PRO CUT RESISTANT DEXTERITY

The KONG® PRO Cut Resistant is EN 388 TDM Cut level F. This extremely high level cut material covers entire palm with maximum dexterity and comfort.

PALM FEATURES

- ▶ Exclusive material with dot for grip all conditions.
- ▶ CE EN 388 Abrasion level 5.
- ▶ Exclusive dexterity cut resistant material CE EN 388 TDM Cut Level F.
- ▶ Thumb Crotch reinforcement for durability.

GLOVE FEATURES

- ▶ High Visibility fabric.
- ▶ Patented 'pinch protection' on fingertip.
- ▶ Patented maximum coverage impact on fingers, knuckle, thumb and metacarpal bones.
- ▶ Neoprene cuff - snug fit, easy to remove.
- ▶ Pull tab eyelet - easy hang on clip.

PART NUMBER	KON-000009
▶ LENGTH	11" (28 cm).
▶ WIDTH	6" (15cm).
▶ MATERIAL	High level cut material.
▶ COLOR	Orange mix yellow.
▶ SIZE	M, L, XL.
▶ FEATURES	Exclusive material with dot for grip all conditions, CE EN 388 Abrasion level 5 "Exclusive dexterity cut resistant material, CE EN 388 TDM cut level F" Patented 'pinch protection' on fingertip.

NITRILE GLOVE

Compliance
EN 374

Chemical Glove



PART NUMBER	CIG6215
▶ LENGTH	13" (33.02 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	Nitril/rubber.
▶ COLOR	Green.
▶ SIZE	All size.
▶ FEATURES	Strong chemical resistance in most solvent.

PETRO GARD

Chemical Glove



PART NUMBER	CIG6254
▶ LENGTH	13" (33.02 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	PVC.
▶ COLOR	Black.
▶ SIZE	All size.
▶ FEATURES	Comfortable and reliable glove for oil, handling wet and slippery materials, chemical resistance.

PVC GAUNTLET

Chemical Glove



PART NUMBER	CIG6414	CIG6416	CIG6418	CIG6414YLW
▶ LENGTH	14" (x cm).	16" (x cm).	18" (x cm).	14" (x cm).
▶ WIDTH	4.3 " (11 cm).	4.3 " (11 cm).	4.3 " (11 cm).	4.3 " (11 cm).
▶ MATERIAL	PVC.	PVC.	PVC.	PVC.
▶ COLOR	Red.	Red.	Red.	Yellow.
▶ SIZE	All size.	All size.	All size.	All size.
▶ FEATURES	Gauntlet style, chemical resistance, fully coated.			

EXTENDED PVC GLOVE

Chemical Glove



PART NUMBER	CIGSM64221
▶ LENGTH	28" (70 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	PVC with cotton interlock liner.
▶ COLOR	Green.
▶ SIZE	All sizes.
▶ FEATURES	Chemical Resistance, Sandy Finish.

NITRILE DRIVER GLOVE

Chemical Glove



PART NUMBER	CIGSM64587YLW
▶ LENGTH	10"
▶ WIDTH	6"
▶ MATERIAL	Nitrile impregnated Leather.
▶ COLOR	Yellow.
▶ SIZE	All size.
▶ FEATURES	Nitrile impregnated Leather glove with Glossy finish & full foam fleece liner. Elastic cuff for snug fit.

BIG RED

Compliance
EN 407 & EN 388

Welding Glove



PART NUMBER	CIG2112BR
▶ LENGTH	16" (40.64 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	leather.
▶ COLOR	Red.
▶ SIZE	All size.
▶ FEATURES	Good protection againts heat and welding spark, fully lining and welted.

TUFF HIDE

Compliance
EN 407 & EN 388

Welding Glove



LENGTH:
14" Fully welted and Fully Lining

MATERIAL:
Red split leather

STANDARD:
EN 388 & EN 407
Standard Approved

PART NUMBER	CIG2112
▶ LENGTH	14" (35.56 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	Leather.
▶ COLOR	Red.
▶ SIZE	All size.
▶ FEATURES	Red split leather, fully welted, fully lining.

KEVLAR BLUE

Welding Glove



PART NUMBER	CIG6530
▶ LENGTH	16" (40.64 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	Leather.
▶ COLOR	Blue.
▶ SIZE	All size.
▶ FEATURES	Heavy duty protection, fully lining reinforced palm.

GREEN GOLD

Welding Glove



PART NUMBER	CIG6460
▶ LENGTH	16" (40.64 cm).
▶ WIDTH	5.1 " (13 cm).
▶ MATERIAL	Leather.
▶ COLOR	Green.
▶ SIZE	All size.
▶ FEATURES	High quality leather gloves protect your hand from heat and welding spark, fully lining, reinforced palm, length 16"

CRUSADER FLEX

Welding Glove



PART NUMBER	PJJ35-33
▶ LENGTH	35 cm.
▶ WIDTH	14.5 cm.
▶ MATERIAL	Polyester Felt.
▶ COLOR	Grey.
▶ SIZE	All size.
▶ FEATURES	Heat-resistant gloves and also resistant to sharp objects made of polyester felt. With a soft and flexible material structure, it keeps hands free to move.

KEVLAR ALUMINIZED

Welding Glove



PART NUMBER	CIG6391
▶ LENGTH	16" (40.64 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	Aramid, and Aluminized fabric.
▶ COLOR	Aluminum color.
▶ SIZE	All size.
▶ FEATURES	Outer side aluminized, inner aramid, and aluminized, fully lining.

KEVLAR CUT GOLD

Welding Glove



PART NUMBER	CIG6303
▶ LENGTH	9" - 10"
▶ WIDTH	4.3 "
▶ MATERIAL	aramid.
▶ COLOR	Yellow.
▶ SIZE	M - XL.
▶ FEATURES	Cut Resistance and spark resistance.

KEVLAR CUT DOT

Welding Glove



PART NUMBER	CIG6305
▶ LENGTH	9" - 9,5" - 10"
▶ WIDTH	4,3"
▶ MATERIAL	aramid.
▶ COLOR	Yellow.
▶ SIZE	M - XL.
▶ FEATURES	Cut resistance and spark resistance.

LEATHER PALM GLOVE

Compliance EN 388

Welding Glove



PART NUMBER	CIG1111
▶ LENGTH	10"
▶ WIDTH	5,1"
▶ MATERIAL	Full Leather.
▶ COLOR	Leather and thick fabric.
▶ SIZE	All size.
▶ FEATURES	High Quality Full Leather Palm, Soft Palm Lining.

GRAND PRIX GLOVE

Welding Glove



PART NUMBER	CIG1110
▶ LENGTH	9" (22.86 cm) 9,5" (24.13 cm) 10" (25.4 cm).
▶ WIDTH	4.3 " (11 cm).
▶ MATERIAL	Thick Leather.
▶ COLOR	Beige.
▶ SIZE	9, 9.5, 10.
▶ FEATURES	Used for industrial or engineering jobs, high quality made for soft and comfortable.

PREMIUM DRIVER GLOVE

Welding Glove



PART NUMBER	CIG8835
▶ LENGTH	9.5" (2413 cm).
▶ WIDTH	4.3" (11CM).
▶ MATERIAL	Thick Leather.
▶ COLOR	Beige.
▶ SIZE	9.5.
▶ FEATURES	breathable cowhide leather glove provides comfort and durability.


ACCESSORIES

GLOVE CLIP
& UTILITY CLIP



CIG000172



A large, stylized letter 'F' graphic that serves as a background element. The 'F' is white with a thick, rounded border. It is positioned in the upper left quadrant of the page, with its top-left corner at the top-left corner of the page. The background is a light gray gradient, and a large green triangle is visible in the top right corner, partially obscured by the 'F' graphic.

F

PROTECTIVE APPAREL

CIG MAGNA

Protective Apparel

PART NUMBER : CIG MAGNA
BRAND : CIG



- **STANDARD** : EN 469.
- **PRODUCT TYPE** : Fire Fighting Suit.
- **COLOR** : Gold or blue.
- **SIZE** : M, L, XL.
- **MATERIAL** : Nomex.
- **FEATURES**

: Contoured collar designed for maximum thermal protection, throat tab with velcro closure, heavy duty zipper with 25mm velcro closure system contour cut, large pocket with velcro flap closure (two pocket), sleeves feature adjustable velcro/webbing wristers for total protection.



B12 Aluminized suit

Protective Apparel



B20 Aluminized suit

Protective Apparel



Arc Flash Electrical suit

Protective Apparel



PART NUMBER	B12 Aluminized suit	B20 Aluminized suit	Arc Flash Electrical suit
▶ MATERIAL	Base cloth : FR Viscose Black, Reflespace Technology. Weight/Thickness : 580 g/m2 0,9mm.	Outer shell : FR woven fabric substrate with aluminum membrane Thermal lining : Meta/para-aramid felt quilted to 50% meta-aramid / 50% FR viscose woven fabric.	Dupont Protera fabric Inherently flame retardant and its protection cannot be washed out or worn away, multilayer combination is lighter than flame retardant cotton/nylon blend garments, reducing the risk of heat stress.
▶ FEATURES	Certification NF EN ISO 11612 (A1 B1 C3 D2 E3 F1) Good behavior to molten metal splash, Very supple and comfortable, Black base cloth less sensitive to dirt, Moisture resistance, Odourless, Long - term efficiency against radiant heat and flame.	Standard EN ISO 11612-2008, NF EN 407 Withstand high-heat up to 1600C, Superior protective performance on high pressure and moisture vapor, superheated vapor and high temperature liquid, The Aluminized material is not easy to peel from the base material.	ATPV Rating : 40cal/cm2 Tested to ASTM F1959 and meet the standard of NFPA 70E, DL/T 320-2010, GB 8965. 1-2009. Flame retardant reflective tapes can be added to make it highly visible. And the cooling system can be installed on the hood to keep the user cool.

WELDING JACKET

Welding Protective Apparel
CIG5954



LEATHER APRON

Welding Protective Apparel
CIG5951



LEATHER SPATS

Welding Protective Apparel
CIG5950



LEATHER SLEEVES

Welding Protective Apparel
CIG5991



LEATHER HOOD

Welding Protective Apparel
CIG5989



PART NUMBER	CIG5954	CIG5951	CIG5950	CIG5991	CIG5989
▶ MATERIAL	Leather.	Leather.	Leather.	Leather.	Leather.
▶ SIZE	All Size.	All Size.	All Size.	All Size.	All Size.
▶ FEATURES	Leather Protection for torso, arms and shoulder area.	Leather Protection for torso, and leg area.	Leather Protection for leg area.	Leather Protection for arms area.	Leather Protection for head and neck area.

RAINSUIT

PVC / Polyester Rainsuit



PART NUMBER	CIG2000	CIG2001
▶ MATERIAL	PVC Coating.	PVC coating with reflective.
▶ COLOR	Yellow.	Orange.
▶ SIZE	S-3XL.	S-3XL.
▶ FEATURES	Waterproof, rainsuit with hood, two pocket with flaps.	Waterproof, rainsuit with hood, two pocket with flaps.

RAINSUIT

PVC / Polyester Rainsuit



PART NUMBER	CIGIJ16
▶ MATERIAL	Polyester/PU Coating with Reflective .
▶ COLOR	Fluorescent Yellow/navy blue with white reflective, fluorescent orange/ navy blue with white reflective.
▶ SIZE	M - XL.
▶ FEATURES	Waterproof. rainsuit.

RAINCOAT

PVC / Polyester Raincoat



PART NUMBER	CIG3500
▶ MATERIAL	Heavy duty PVC coated on polyester.
▶ COLOR	Yellow.
▶ SIZE	S-3XL.
▶ FEATURES	Waterproof, rainsuit with hood, two pocket with flaps.

RAINCOAT

PVC / Polyester Raincoat



PART NUMBER	CIG1U03
▶ MATERIAL	Polyester/PU Coating.
▶ COLOR	Fluorescent Yellow. Fluorescent orange.
▶ SIZE	M - XL.
▶ FEATURES	Waterproof. rainsuit with hood.

CIGIT01
Work Vest



CIGIT02
Work Vest



CIGIT03
Work Vest



CIGIT20
Work Vest



PART NUMBER	CIGIT01	CIGIT02	CIGIT03	CIGIT 20
▶ MATERIAL	100% polyester knitted waistcoat.			
▶ COLOR	Fluorescent orange, yellow.			
▶ SIZE	M - XL.			

CIGIW01

Work Vest



CIGIT13

Work Vest



CIGIT18

Work Vest



CIGIT19

Work Vest



PART NUMBER	CIGIW01	CIGIT13	CIGIT18	CIGIT19
MATERIAL	100% polyester mesh high visibility vest.			
COLOR	Fluorescent orange, yellow.			
SIZE	M - XL.			

CIGIT07

Work Vest



CIGIT08

Work Vest



PART NUMBER	CIGIW01	CIGIT19
MATERIAL	100% polyester knitted waistcoat.	
COLOR	Fluorescent orange, yellow.	
SIZE	M - XL.	

CIG APRON PVC

Chemical Protective Apparel



PART NUMBER	SPH20B & SPH20Y
▶ MATERIAL	PVC.
▶ COLOR	Yellow, blue.
▶ DIMENSION	60 x 90cm.
▶ FEATURES	For chemical splash cooking, butcher, farmer.



A large, bold, black letter 'G' is centered on the page. The background features a light gray gradient with a white diagonal line that curves from the top left towards the bottom right. A solid purple shape is located in the top right corner, partially overlapping the white line.

FALL PROTECTION

FULL BODY HARNESS

Compliance
CE EN 361 and CE EN 358

PART NUMBER : CIG19458
BRAND : CIG

- **STANDARD** : Compliance CE EN 361 & CE EN 358.
- **PRODUCT TYPE** : Full Body Harness.
- **COLOR** : RED.
- **STATIC STRENGTH** : >15 kN.
- **NET WEIGHT** : 1.45 Kg.
- **MATERIAL** : Strap : Polyamide 45 mm.
Buckle : Galvanized Steel.
D-Ring : Galvanized Forged Steel.
- **FEATURES** : 1 fall arrest dorsal D-Ring and 2 lateral chrome plated D-Rings for work positioning adjustable thigh strap, chest strap, comfortable back pad.

FRONT ATTACHMENT:

Front attachment loop for rescue and fall arrest through two loops at the same time.

BACK PAD:

Dorsal D-ring with padded for comfortable back pad. Galvanized Forged Steel.

CHEST STRAP:

Adjustable Chest Strap
ABS Buckle.

PADDED BELT:

Padded belt to support lower back body while working.

THIGH STRAP:

Adjustable Leg Strap
Galvanized Steel Buckle.



D-RINGS:

2 lateral zinc plated D-rings for Work positioning
Galvanized Forged Steel.

CIG19451 Compliance CE EN 361
Full Body Harness



CIG19452 Compliance CE EN 361
Full Body Harness



CIG19453S Compliance CE EN 361
Full Body Harness



PART NUMBER	CIG19451	CIG19452	CIG19453S
▶ MATERIAL	Strap (45mm) polyamide. Buckle : galvanized steel and ABS. D-Ring : 1 at back.	Strap (45mm) polyamide. Buckle : galvanized steel. D-Ring : 1 at back.	Strap (45mm) polyamide. Buckle : galvanized steel. D-Ring : 1 at back and 2 lateral attachment at chest strap.
▶ WEIGHT	0.75 Kg.	0.95 Kg.	1.25 Kg.
▶ STATIC STRENGTH	>15kN.	>15kN.	>15kN.
▶ FEATURES	1 fall arrest dorsal D-Ring, adjustable thigh strap, chest strap, comfortable back pad.		

CIGKM23 Compliance CE EN 361
Full Body Harness



CIGKM41 COMPLIANCE CE EN 361 and CE EN 358
Full Body Harness



CIGKM42 COMPLIANCE CE EN 361 and CE EN 358
Full Body Harness



CIGKM94 COMPLIANCE CE EN 361 and CE EN 358
Full Body Harness



PART NUMBER	CIGKM23	CIGKM41	CIGKM42	CIGKM94
▶ ATTACHMENT ELEMENTS	2 Chest attachment D-Rings and a Dorsal attachment D - Ring for Fall Arrest.	1 Dorsal attachment D-Ring for Fall Arrest and 2 lateral D-Rings for Work Positioning.	2 Chest attachment textile loops and a Dorsal attachment D - Ring for Fall Arrest. 2 lateral D-Rings for Work Positioning.	A Chest attachment D-Ring and a Dorsal attachment D - Ring for Fall Arrest. 2 lateral D-Rings for Work Positioning.
▶ ADAPTABILITY	Adjustable Shoulder, thigh - straps.	Adjustable Shoulder, thigh - straps and waist belt.	Adjustable Shoulder, thigh - straps and waist belt.	Adjustable Shoulder, thigh straps.
▶ CONVENIENCE	Shoulder and thigh - straps differentiated by a dual colour scheme.	Shoulder and thigh - straps differentiated by a dual colour scheme Tool holder loops and rings at the back.	Shoulder and thigh - straps differentiated by a dual colour scheme Tool holder loops and rings at the back.	Shoulder and thigh - straps differentiated by a dual colour scheme Tool holder loops and rings at the back.
▶ ERGONOMICS	Ideally positioned sit - strap for extended comfort.	Ideally positioned sit - strap for extended comfort.	Ideally positioned sit - strap for extended comfort.	Ideally positioned sit - strap for extended comfort.
▶ COMPLIANCE	Conforms to EN 361:2002.	Conforms to EN 361:2002 and EN 358 : 1999.	Conforms to EN 361:2002 and EN 358 : 1999.	Conforms to EN 361:2002 and EN 358 : 1999.

CIG PN 56

Compliance
CE EN 361, CE EN 358 and CE EN 813

Full Body Harness

PART NUMBER : CIG PN 56

BRAND : CIG

- **ADAPTABILITY** : Adjustable shoulder, thigh-straps and waist belt.
- **CONVENIENCE** : An ideal combination of Fall Arrest, Work Positioning, Rescue and Rope access applications.
- **ERGONOMICS** : Soft padding on shoulder, waist and leg straps for extended comfort.
- **COMPLIANCE** : Conforms to EN 361:2002, EN 358:1999 & EN 813:2008



CIG19611 Compliance CE EN 354
Rope Lanyard



CIG19612 Compliance CE EN 354
Rope Lanyard



CIG19614 Compliance CE EN 354
Rope Lanyard



CIG19620 Compliance CE EN 354
Rope Lanyard



PART NUMBER	CIG19611	CIG19612	CIG19614	CIG19620
▶ ROPE	Polyamide 12mm, 3 strands.	Polyamide 12mm, 3 strands.	Polyamide 12mm, 3 strands.	Polyamide Braided 11mm.
▶ CONNECTOR	Chrome plated steel forged bighook with opening gate 53mm, and chrome plated steel pressed small hook according to EN362.	Chrome plated steel forged big hook with opening gate 53mm, and zinc-plated steel carabiner according to EN362.	Chrome plated steel pressed small hook and zinc-plated steel carabiner according to EN362.	Chrome plated steel pressed small hook and zinc-plated steel carabiner according to EN362.
▶ STATIC STRENGTH	>22kN.	>22kN.	>22kN.	>22kN.
▶ NET WEIGHT	0.80kg.	0.75kg.	0.40kg.	0.80kg.
▶ COMPLIANCE	Conforms CE EN 354	Conforms CE EN 354	Conforms CE EN 354	Conforms CE EN 354

CIG207 Compliance CE EN 354
Rope Lanyard



CIG208 Compliance CE EN 354
Rope Lanyard



CIG209 Compliance CE EN 354
Rope Lanyard



Polyamide Anchorage Line
Rope



PART NUMBER	CIGKM207	CIGKM208	CIGKM209	Polyamide Anchorage Line
▶ ROPE	1.0m - 1.5m - 1.8m - 2.0m.	1.0m - 1.5m - 1.8m - 2.0m.	1.0m - 1.5m - 1.8m - 2.0m.	10m - 20m - 30m - 40m - 50m.
▶ CONNECTOR	one side carabiner CIGKM112 other side small hook CIGKM121.	one side carabiner CIGKM112 other big hook CIGKM131.	one small hook CIGKM121 other big hook CIGKM131.	14mm & 16mm dia polyamide rope, one side loop : other side end stop knot. Longer lengths are also available on special request.
▶ COMPLIANCE	Conforms to EN 354:2002.	Conforms to EN 354:2002.	Conforms to EN 354:2002.	

CIG19646

Shock Absorbing Lanyard

Compliance
CE EN 355



CIG19646-1

Shock Absorbing Lanyard

Compliance
CE EN 355



CIG19650

Shock Absorbing Lanyard

Compliance
CE EN 355



CIG19650-1

Shock Absorbing Lanyard

Compliance
CE EN 355



PART NUMBER	CIG19646	CIG19646-1	CIG19650	CIG19650-1
▶ ROPE	Polyamide 12mm, 3 strands.	Polyamide 12mm, 3 strands.	Polyamide 12mm, 3 strands.	Polyamide 12mm, 3 strands.
▶ SHOCK ABSORBER	Polyamide 45mm.	Polyamide 45mm.	Polyamide 32mm.	Polyamide 32mm.
▶ ARREST (BRAKING) FORCE	Max. 6kN.	Max. 6kN.	Max. 6kN.	Max. 6kN.
▶ CONNECTOR	Chrome plated steel forged big hook with opening gate 53mm, and chrome plated steel pressed small hook according to EN362.	Chrome plated steel forged big hook with opening gate 53mm, and chrome plated steel pressed small according to EN362.	Chrome plated steel forged big hook with opening gate 53mm, and zinc-plated steel carabiner according to EN362.	Chrome plated steel forged big hook with opening gate 53mm, and zinc-plated steel carabiner according to EN362.
▶ STATIC STRENGTH	>15kN.	>15kN.	>15kN.	>15kN.
▶ NET WEIGHT	1.15kg.	1.65kg.	0.90kg.	1.45kg.

CIG19653

Shock Absorbing Lanyard

Compliance
CE EN 355



CIG19654

Shock Absorbing Lanyard

Compliance
CE EN 355



CIG19647KL

Shock Absorbing Lanyard

Compliance
CE EN 355



PART NUMBER	CIG19653	CIG19654	CIG19647KL
▶ ROPE TYPE	Polyamide Braided 11mm.	Polyester Webbing 30mm.	Polyester Webbing 25mm.
▶ SHOCK ABSORBER	Polyamide 45mm.	Polyamide 45mm.	Polyamide 45mm.
▶ ARREST (BRAKING) FORCE	Max. 6kN.	Max. 6kN.	Max. 6kN.
▶ CONNECTOR	Chrome plated steel forged big hook with opening gate 53mm, and zinc-plated steel carabiner according to EN362.	Chrome plated steel forged big hook with opening gate 53mm, and zinc-plated steel carabiner according to EN362.	Chrome plated steel forged big hook with opening gate 53mm, and chrome plated steel pressed small hook according to EN362.
▶ STATIC STRENGTH	>15kN.	>15kN.	>15kN.
▶ NET WEIGHT	1.00kg.	1.00kg.	1.70kg.

CIGKM308 Compliance CE EN 355
Shock Absorbing Lanyard



CIGKM309 Compliance CE EN 355
Shock Absorbing Lanyard



CIGKM351 Compliance CE EN 355
Shock Absorbing Lanyard



CIGKM361 Compliance CE EN 355
Shock Absorbing Lanyard



PART NUMBER	CIGKM308	CIGKM309	CIGKM351	CIGKM361
▶ ROPE LENGTH	1.0m - 1.5m - 1.8m - 2.0m.	1.0m - 1.5m - 1.8m - 2.0m.	1.5m - 1.8m - 2.0m.	1.5m - 1.8m - 2.0m.
▶ SHOCK ABSORBER	Polyamide 45mm	Polyamide 45mm	Polyamide 45mm	Polyamide 45mm
▶ ARREST (BRAKING) FORCE	Max. 6kN.	Max. 6kN.	Max. 6kN.	Max. 6kN.
▶ CONNECTOR	one side carabiner CIGKM112 and other side big hook CIGKM131.	one side small hook CIGKM121 and other side big hook CIGKM131.	Made of 12mm dia 3 strands polyamide rope. Having one steel screw locking carabiner CIGKM112 at one end and Two steel scaffold hook CIGKM131 at other end.	Made of 44mm wide webbing Having one steel screw locking carabiner CIGKM112 at one end and Two steel scaffold hook CIGKM131 at other end.
▶ STATIC STRENGTH	>15kN.	>15kN.	>15kN.	>15kN.
▶ NET WEIGHT	1.05kg.	1.15kg.	1.65kg.	1.70kg.

TRIPOD LIFT

Compliance
EN 795 Class B


Tripod

PART NUMBER : CIGKM800

BRAND : CIG

- **MATERIAL** : Aluminum.
- **WEIGHT** : 16 Kg.
- **FEATURES** : Fully adjustable aluminum telescopic tripod, having two auxillary eye bolts and mounted pulleys as attachment points, aluminum alloy cast head, strength of ancorage point greater than 10 kN, every tripod is equipped with bag CIGKM904 and built in fixture to attach winch CIGKM817 (can be supplied without fixture on special request), Lifting load capacity : 125 Kg.


CIG TRIPOD BAG
CIGKM904



RESCUE WINCH CIGKM817

- ▶ To be used for raising or lowering of personnel or material into confined spaces
- ▶ Equipped with bolting fixture for robust fitting on to tripod.
- ▶ Lifting load capacity : 125 kgs.
- ▶ Length : 20.0 m.
- ▶ Conforms to EN 1496 (Class B).
- ▶ To be used with a Retractable Fall Arrester when deployed for raising or lowering a person.



The image features a large, stylized black letter 'H' centered on a light gray background. The background is divided into geometric sections by white lines: a light gray section on the left, a white section in the middle, and a bright pink section on the right. The 'H' is composed of thick, solid black bars.

SAFETY SHOWER

WALL MOUNTED

Eyewash Fountain



PART NUMBER	CIG15011000	CIG15011500
▶ MATERIAL	Pipes : Stainless Steel. Bowl : Stainless Steel or ABS Plastic.	Pipes : Galvanized Painted & Stainless Steel. Bowl : Stainless steel or ABS Plastic. Galvanised or ABS Plastic.
▶ WEIGHT	Total 6,150 Kg (galv) - 5,100Kg (ABS).	Total 5,800 Kg (ss) - 4,750Kg (ABS).
▶ DIMENSIONS	H : 320 W: 320 D : 220mm.	H : 320 W: 320 D : 220mm.
▶ FEATURES	Treadle Foot Control Water inlet : 1/2". Waste outlet : 1 1/4". Water flow : 11,5 lt/min (eyewash).	Push Handle Control. Water inlet : 1/2". Waste outlet : 1 1/4". Water flow : 11,5 lt/min (eyewash).

PEDESTAL MOUNTED

Eyewash Fountain



PART NUMBER	CIG15014000
▶ MATERIAL	Pipes : Galvanized Painted. Bowl : Stainless steel or ABS Plastic Galvanised or ABS Plastic.
▶ WEIGHT	Total 7,050 Kg (ss) - 6,00Kg (ABS).
▶ DIMENSIONS	H : 810 W : 320 D : 220mm.
▶ FEATURES	Treadle Foot Control Water inlet : 1/2". Waste outlet : 1 1/4". Water flow : 11,5 lt/min (eyewash).

SHOWER COMBINATION

Safety Shower



CIG15031500



CIG15031500



PART NUMBER	CIG15031500
▶ MATERIAL	Pipes : Galvanised Painted. Shower Head : Painted Steel or ABS Plastic. Bowl : Painted Steel or ABS Plastic.
▶ WEIGHT	Total 21,500 Kg (Galv.) - 19,300 Kg (ABS).
▶ DIMENSIONS	H : 860 W: 350 D : 250mm.
▶ FEATURES	Puss handle for eyewash, Pull Rod Control for shower Water inlet : 1". Waste outlet : 1 1/4". Water flow : 11,5 lt/min (eyewash), 75Lt/ min (shower).

SHOWER COMBINATION

Safety Shower



CIG15031000



CIG15031000



PART NUMBER	21CIG15031000
▶ MATERIAL	Pipes : Stainless steel. Shower Head : Stainless steel or ABS Plastic.
▶ WEIGHT	Total 20,500 Kg (Galv.) - 18,300 Kg (ABS).
▶ DIMENSIONS	H : 860 W: 350 D : 250mm.
▶ FEATURES	Puss handle for eyewash, Pull Rod Control for shower. Water inlet : 1". Waste outlet : 1 1/4". Water flow : 11,5 lt/min (eyewash), 75 Lt/ min (shower).

SHOWER COMBINATION

Safety Shower



CIG15032500



CIG15032500



PART NUMBER	CIG15032500
▶ MATERIAL	Pipes : Galvanised Painted. Shower Head : Painted Steel or ABS Plastic. Bowl : Painted Steel or ABS Plastic.
▶ WEIGHT	Total 22, 400 Kg (Galv.) - 20,200 Kg (ABS).
▶ DIMENSIONS	H : 860 W: 350 D : 250mm.
▶ FEATURES	Treadle foot control eyebath, pull rod control for shower Water inlet : 1" Waste outlet : 1 1/4" Water flow : 11,5 lt/min (eyewash), 75 lt/min (shower).

SHOWER COMBINATION

Safety Shower



CIG15032000



CIG15032000



PART NUMBER	CIG15032000
▶ MATERIAL	Pipes : Stainless steel. Shower Head : Stainless steel or ABS Plastic. Bowl : Stainless steel or ABS Plastic.
▶ WEIGHT	Total 21,400 Kg (Galv.) - 19,200 Kg (ABS).
▶ DIMENSIONS	H : 860 W: 350 D : 250mm.
▶ FEATURES	Treadle foot control eyebath, pull rod control for shower Water inlet : 1" Waste outlet : 1 1/4" Water flow : 11,5 lt/min (eyewash), 75 lt/min (shower).

SHOWER COMBINATION

Safety Shower



CIG15021500



CIG15021500



PART NUMBER	CIG15021500
▶ MATERIAL	Pipes : Galvanised Painted. Shower Head : Painted Steel or ABS Plastic.
▶ WEIGHT	Total 15,250 Kg (Galv.) - 14,200 Kg (ABS).
▶ DIMENSIONS	H : 810 W: 320 D : 229mm.
▶ FEATURES	Pull Rod Control Water intel : 1". Waste outlet : 1 1/4". Water flow : 75 lt/min (shower).

SHOWER COMBINATION

Safety Shower



CIG15036000



PART NUMBER	CIG15036000
▶ MATERIAL	Pipes : Stainless steel. Shower Head : Stainless steel or ABS Plastic. Bowl : Stainless steel or ABS Plastic.
▶ WEIGHT	Total 20,950 Kg (SS) - 18,850Kg (ABS).
▶ DIMENSIONS	H : 860 W: 340 D : 250mm.
▶ FEATURES	Push handle for eyewash, pull rod control for shower Water inlet : 1". Waste outlet : 1 1/4". Water flow : 11,5 lt/min (eyewash) 75 lt/min (shower).





MISCELLANEOUS EQUIPMENT

LIFE JACKET DOLPHIN



PART NUMBER	WYCS5564
▶ MATERIAL	Polyster, Foam.
▶ COLOR	International Orange.
▶ SIZE	All Size.
▶ FEATURES	Universal design, light-weight and portable, soft flotation foam for extra, comfort, reflective strips enable, tracing in dark, adult universal.

CONE



PART NUMBER	CIG-002234	CIG-002653
MATERIAL	Rubber with Reflective.	Rubber base, PE Body (Stick) with Reflective.
SIZE	70 cm & 90 cm.	155 cm.
FEATURES	Traffic cones are typically used outdoors during road work or other situations requiring traffic redirection or advance warning of hazards or dangers, or the prevention of traffic.	Flexible post, Black base Rubber, Height 155cm, Weight 6kg.

BARRICADE TAPE



CIG-001716W12



CIG-001716W13



PART NUMBER	CIG-001716	
▶ MATERIAL	Polyethylene/ Plastic.	Polyethylene/ Plastic.
▶ COLOR	White Red.	Yellow Black.
▶ LENGTH	300, 400, 500 M.	300, 400, 500 M.
▶ FEATURES	Used to warn or catch the attention of passersby in an area or situation containing a possible hazard, light weight, easy to use, used for indoor and outdoor, high visibility, contractors and construction workers use flagging tape to mark things such as sewers and drain lines, gas and oil line and electrical operations such as power lines and lighting cables.	

FLAGGING TAPE



CIG-000354



CIG-000356



CIG-000358



CIG-000360



CIG-000362



CIG-000364



CIG-000367



PART NUMBER	CIG-000354	CIG-000356	CIG-000358	CIG-000360	CIG-000362	CIG-000364	CIG-000367
▶ MATERIAL	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl	Vinyl
▶ COLOR	Blue	Green	Orange	Pink	Red	White	Yellow
▶ FEATURES	Strong, flexible, High Visibility.						

LOTO TAG



CIG 346ABLC



CIG 347ABLC

PART NUMBER	CIG 346ABLC	CIG 347ABLC
▶ MATERIAL	Polyethylene/ Plastic.	Polyethylene/ Plastic.
▶ COLOR	White Red.	Yellow Black.
▶ QUANTITY IN BOX	12 EA.	12 EA.
▶ FEATURES	The tag indicates who is responsible for placing a lockout device and who is authorized to remove it or make changes to it, Custom made dimension: 75x146mm.	

FOLDAWAY STRETCHER



PART NUMBER	CIG-000158
▶ MATERIAL	Made of high - strength aluminium alloy and oxford leather material.
▶ COLOR	Orange.
▶ FEATURES	The Stretcher with outrigger, it can be folded and with handbag, small size, easy to carry, mainly used for hospital, sport, ambulance, battle field , and outdoors carrying patients and wounded person.

SCOOP STRETCHER



23CIG-4A/4B



23CIG-4A/4B



PART NUMBER	23CIG-4A/4B
▶ MATERIAL	High Strength Aluminum Alloy Materials.
▶ COLOR	Orange, Blue, Metallic.
▶ LENGHT	The lenght of the stretchers can be adjusted according to patients body, the foot-end is designed as narrow frame structure, easy to carry, mainly used for hospital, sport, ambulance, battle field , and outdoors carrying patients and wounded person.

BASKET STRETCHER




23CIG-8B1



PART NUMBER	23CIG-8B1
▶ MATERIAL	Steel panel holes (stainless steel) - Seat belt (Polyester) - Mattress (polypropylene).
▶ COLOR	Orange.
▶ FEATURES	Flexible to use, ideal for lifting and transporting by helicopter, easy to carry, adjustable.

CIG WINDSOCK



PART NUMBER	CIG001WS
▶ MATERIAL	Nylon Spandex.
▶ COLOR	Orange with white reflective.
▶ FEATURES	Windsock easy to fly elegant figure bright color with reflective fluorescence belts. Made by high quality material lightweight and resistant against prolonged wind rain and sun damage.

CIG FIRE BLANKET



PART NUMBER	CIG 110
▶ DIMENSION	202cm x 175cm x 45cm.
▶ CLOTH DIMENSION	1.8m x 1.8m.
▶ FEATURES	Absolutely Reliable, Simple to use, Easy Storage & Packing, Packed in a Cointainer.





Jl. Cideng Barat No. 47 D Jakarta Pusat, 10150